

# Best Evidence Summaries of Topics in Mental Healthcare

## BEST in MH clinical question-answering service

#### Question

For patients with Chronic Fatigue Syndrome, what is the association between attitudes about the condition (held by both patients and healthcare professionals), and engagement with and access to psychological treatment?

#### Clarification of question using the PRO structure

Patients: Patients with Chronic Fatigue Syndrome

Risk factor: Attitudes about the condition (held by both patients and healthcare professionals)

Outcome: Engagement with and access to psychological treatment



Email: awp.BESTinMH@nhs.net Phone: 0117 378 4232/4233/4335

#### Clinical and research implications

No relevant systematic reviews or randomised controlled trials could be found for this question.

#### What does the evidence say?

Number of included studies/reviews (number of participants)

N/A

**Main findings** 

N/A

**Authors conclusions** 

N/A

Reliability of conclusions/Strength of evidence

N/A

#### What do guidelines say?

Neither National Institute for Health and Care Excellence (NICE) nor Searching of Scottish Intercollegiate Guidelines Network (SIGN) guidelines comment on...

Date question received: 19/05/15
Date searches conducted: 29/05/15
Date answer completed: 05/06/15

### Search details

Source	Search Strategy	Number of hits	Relevant evidence identified
		Of files	
SRs and Gui	idelines	_	
NICE			
DARE	1 MeSH DESCRIPTOR Fatigue Syndrome, Chronic EXPLODE ALL TREES 47 Delete	11	
	2 MeSH DESCRIPTOR Fatigue EXPLODE ALL TREES 113 Delete		
	3 MeSH DESCRIPTOR Poliomyelitis EXPLODE ALL TREES 11 Delete		
	4 MeSH DESCRIPTOR Attitude to Health EXPLODE ALL TREES 2305 Delete		
	5 MeSH DESCRIPTOR Health Promotion EXPLODE ALL TREES 851 Delete		
	6 MeSH DESCRIPTOR Attitude of Health Personnel EXPLODE ALL TREES 141		
	Delete		
	7 (chronic fatigue) IN DARE 41 Delete		
	8 (fatigue syndrome) IN DARE 38 Delete		
	9 (infectious mononucleos) OR (fatigue syndrom*):TI IN DARE 19 Delete		
	10 (infectious mononucleos*) IN DARE 4 Delete		
	11 (postviral fatigue syndrome*) IN DARE 1 Delete		
	12 (chronic fatigue-fibromyalgia syndrome*) IN DARE 0 Delete		
	13 (myalgicencephalomyelit*) IN DARE 4 Delete		
	14 (neurasthenic neuroses) IN DARE 0 Delete		
	15 (akureyri disease) IN DARE 0 Delete		
	16 (atypical poliomyelitis) IN DARE 0 Delete		
	17 (benign myalgic encephalomyelitis) IN DARE 0 Delete		
	18 (CFIDS or CFS) IN DARE 14 Delete		
	19 (chronic adj5 mononucleos*) IN DARE 1 Delete		

35 (health education) IN DARE 395 Delete		
34 (attitudes adj chronic) IN DARE 0 Delete		
33 (attitudes) IN DARE 531 Delete		
32 (health beliefs) IN DARE 8 Delete		
31 (health adj beliefs) IN DARE 13 Delete		
30 (attitudes to health ) IN DARE 1 Delete		
· · · · · · · · · · · · · · · · · · ·		
29 (attitudes adj chronic) IN DARE 0 Delete		
28 (beliefs) IN DARE 100 Delete		
1 '		
27 (neuromuscular adj fatigue) IN DARE 0 Delete		
26 (neuroasthenia) IN DARE 0 Delete		
25 (neurataxia*) IN DARE 0 Delete		
24 (neurasthenic syndrome*) IN DARE 0 Delete		
" '		
23 (perspective adj5 asthenia) IN DARE 0 Delete		
22 (PVFS) IN DARE 0 Delete		
21 (post infectious encephalomyelitis) IN DARE 0 Delete		

CENTRAL	N/A		
PsycINFO	1. PsycInfo; CFS.ti,ab; 1595 results.	17	
	2. PsycInfo; (CHRONIC adj6 fatigue adj6 syndrome).ti,ab; 1910 results.		
	3. PsycInfo; exp CHRONIC FATIGUE SYNDROME/ OR exp FATIGUE SYNDROME,		
	CHRONIC/; 1608 results.		
	4. PsycInfo; exp POLIOMYELITIS/; 208 results.		
	5. PsycInfo; exp ATTITUDE TO HEALTH/; 2 results.		
	6. PsycInfo; (infectious AND mononucleos*).ti,ab; 75 results.		
	7. PsycInfo; (postviral AND fatigue AND syndrome*).ti,ab; 15 results.		
	8. PsycInfo; (chronic AND fatigue-fibromyalgia AND syndrome*).ti,ab; 328 results.		
	9. PsycInfo; (myalgic adj6 encephalomyelit*).ti,ab; 140 results.		
	10. PsycInfo; (neurasthenic AND neuroses).ti,ab; 26 results.		
	11. PsycInfo; (akureyri AND disease).ti,ab; 1 results.		
	12. PsycInfo; (atypical AND poliomyelitis).ti,ab; 1 results.		
	13. PsycInfo; (benign adj6 myalgic adj6 encephalomyelitis).ti,ab; 3 results.		
	14. PsycInfo; (chronic adj5 mononucleos*).ti,ab; 8 results.		
	15. PsycInfo; (iceland adj1 disease).ti,ab; 4 results.		
	16. PsycInfo; (post adj6 infectious adj6 encephalomyelitis).ti,ab; 3 results.		
	17. PsycInfo; (perspective adj5 asthenia).ti,ab; 0 results.		
	18. PsycInfo; (neurasthenicadj6 syndrome*).ti,ab; 53 results.		
	19. PsycInfo; neurataxia*.ti,ab; 0 results.		
	20. PsycInfo; neuroasthenia.ti,ab; 3 results.		
	21. PsycInfo; (neuromuscular ADJ fatigue).ti,ab; 22 results.		
	22. PsycInfo; (attitudes ADJ chronic).ti,ab; 3 results.		
	23. PsycInfo; (health adj6 beliefs).ti,ab; 4099 results.		
	24. PsycInfo; (attitudes ADJ chronic ADJ fatigue).ti,ab; 1 results.		
	25. PsycInfo; (attitudes adj6 chronic AND fatigue).ti,ab; 15 results.		

	26. PsycInfo; exp NEGATIVE FEEDBACK/ OR exp POSITIVE FEEDBACK/; 224 results.		
	27. PsycInfo; 1 OR 2 OR 3 OR 4 OR 6 OR 7 OR 8 OR 9 OR 10 OR 11 OR 12 OR 13 OR		
	14 OR 17 OR 18 OR 19 OR 20 OR 21; 2814 results.		
	28. PsycInfo; 5 OR 22 OR 23 OR 24 OR 25 OR 26; 4343 results.		
	29. PsycInfo; 27 AND 28; 17 results.		
Embase	1. EMBASE; CFS.ti,ab; 5318 results.	187	
	2. EMBASE; (CHRONIC adj6 fatigue adj6 syndrome).ti,ab; 5680 results.		
	3. EMBASE; exp CHRONIC FATIGUE SYNDROME/ OR exp FATIGUE SYNDROME,		
	CHRONIC/; 7649 results.		
	4. EMBASE; exp POLIOMYELITIS/; 19347 results.		
	5. EMBASE; exp ATTITUDE TO HEALTH/; 85777 results.		
	6. EMBASE; (infectious AND mononucleos*).ti,ab; 5384 results.		
	7. EMBASE; (postviral AND fatigue AND syndrome*).ti,ab; 76 results.		
	8. EMBASE; (chronic AND fatigue-fibromyalgia AND syndrome*).ti,ab; 10 results.		
	9. EMBASE; (myalgic adj6 encephalomyelit*).ti,ab; 508 results.		
	10. EMBASE; (neurasthenic AND neuroses).ti,ab; 8 results.		
	11. EMBASE; (akureyri AND disease).ti,ab; 12 results.		
	12. EMBASE; (atypical AND poliomyelitis).ti,ab; 28 results.		
	13. EMBASE; (benign adj6 myalgic adj6 encephalomyelitis).ti,ab; 35 results.		
	14. EMBASE; (chronic adj5 mononucleos*).ti,ab; 141 results.		
	15. EMBASE; (iceland adj1 disease).ti,ab; 17 results.		
	16. EMBASE; (post adj6 infectious adj6 encephalomyelitis).ti,ab; 55 results.		
	17. EMBASE; (perspective adj5 asthenia).ti,ab; 0 results.		
	18. EMBASE; (neurasthenicadj6 syndrome*).ti,ab; 61 results.		
	19. EMBASE; neurataxia*.ti,ab; 0 results.		
	20. EMBASE; neuroasthenia.ti,ab; 4 results.		
	21. EMBASE; (neuromuscular ADJ fatigue).ti,ab; 298 results.		

		1	T
	22. EMBASE; (attitudes ADJ chronic).ti,ab; 0 results.		
	23. EMBASE; (health adj6 beliefs).ti,ab; 5448 results.		
	24. EMBASE; (attitudes ADJ chronic ADJ fatigue).ti,ab; 0 results.		
	25. EMBASE; (attitudes adj6 chronic AND fatigue).ti,ab; 14 results.		
	26. EMBASE; exp NEGATIVE FEEDBACK/ OR exp POSITIVE FEEDBACK/; 17083		
	results.		
	27. EMBASE; 1 OR 2 OR 3 OR 4 OR 6 OR 7 OR 8 OR 9 OR 10 OR 11 OR 12 OR 13 OR		
	14 OR 17 OR 18 OR 19 OR 20 OR 21; 35941 results.		
	28. EMBASE; 5 OR 22 OR 23 OR 24 OR 25 OR 26; 106870 results.		
	29. EMBASE; 27 AND 28; 187 results.		
Medline	1. Medline; CFS.ti,ab; 4058 results.	287	
	2. Medline; (CHRONIC adj6 fatigue adj6 syndrome).ti,ab; 4363 results.		
	3. Medline; exp CHRONIC FATIGUE SYNDROME/ OR exp FATIGUE SYNDROME,		
	CHRONIC/; 4489 results.		
	4. Medline; exp POLIOMYELITIS/; 16528 results.		
	5. Medline; exp ATTITUDE TO HEALTH/; 304931 results.		
	6. Medline; (infectious AND mononucleos*).ti, ab; 5497 results.		
	7. Medline; (postviral AND fatigue AND syndrome*).ti,ab; 69 results.		
	8. Medline; (chronic AND fatigue-fibromyalgia AND syndrome*).ti,ab; 754 results.		
	9. Medline; (myalgic adj6 encephalomyelit*).ti,ab; 435 results.		
	10. Medline; (neurasthenic AND neuroses).ti,ab; 7 results.		
	11. Medline; (akureyri AND disease).ti,ab; 11 results.		
	12. Medline; (atypical AND poliomyelitis).ti,ab; 25 results.		
	13. Medline; (benign adj6 myalgic adj6 encephalomyelitis).ti,ab; 35 results.		
	14. Medline; (chronic adj5 mononucleos*).ti,ab; 151 results.		
	15. Medline; (iceland adj1 disease).ti,ab; 62 results.		
	16. Medline; (post adj6 infectious adj6 encephalomyelitis).ti,ab; 43 results.		
	17. Medline; (perspective adj5 asthenia).ti,ab; 0 results.		

Summary	NA	NA	
Cinahl			
	30. Medline; 29 [Limit to: Publication Year 2000-2015]; 287 results.		
	29. Medline; 27 AND 28; 406 results.		
	28. Medline; 5 OR 22 OR 23 OR 24 OR 25 OR 26; 306883 results.		
	14 OR 17 OR 18 OR 19 OR 20 OR 21; 29980 results.		
	27. Medline; 1 OR 2 OR 3 OR 4 OR 6 OR 7 OR 8 OR 9 OR 10 OR 11 OR 12 OR 13 OR		
	26. Medline; exp NEGATIVE FEEDBACK/ OR exp POSITIVE FEEDBACK/; 0 results.		
	25. Medline; (attitudes adj6 chronic AND fatigue).ti,ab; 12 results.		
	24. Medline; (attitudes ADJ chronic ADJ fatigue).ti,ab; 1 results.		
	23. Medline; (health adj6 beliefs).ti,ab; 5031 results.		
	22. Medline; (attitudes ADJ chronic).ti,ab; 1 results.		
	21. Medline; (neuromuscular ADJ fatigue).ti,ab; 292 results.		
	20. Medline; neuroasthenia.ti, ab; 3 results.		
	19. Medline; neurataxia*.ti,ab; 0 results.		
	18. Medline; (neurasthenic adj6 syndrome*).ti,ab; 73 results.		

#### Disclaimer

BEST in MH answers to clinical questions are for information purposes only. BEST in MH does not make recommendations. Individual health care providers are responsible for assessing the applicability of BEST in MH answers to their clinical practice. BEST in MH is not responsible or liable for, directly or indirectly, any form of damage resulting from the use/misuse of information contained in or implied by these documents. Links to other sites are provided for information purposes only. BEST in MH cannot accept responsibility for the content of linked sites.

© Best Evidence Summaries of Topics in Mental Health 2013