

Best Evidence Summaries of Topics in Mental Healthcare

BEST in MH *clinical question-answering service*

Question

For people experiencing a first episode of psychosis, how effective are non-pharmacological interventions or no intervention, compared with pharmacological interventions, in improving all patient outcomes?

Clarification of question using *PICO* structure

Patients: People experiencing a first episode of psychosis
Intervention: Non-pharmacological interventions or no intervention
Comparator: Pharmacological interventions
Outcome: All patient outcomes

Clinical and research implications

No relevant systematic reviews or randomised controlled trials could be found for this question.

What does the evidence say?

Number of included studies/reviews (number of participants)

N/A

Main findings

N/A

Authors conclusions

N/A

Reliability of conclusions/Strength of evidence

N/A

What do guidelines say?

Section 1.3.12 of the NICE guidance, 'Psychosis and Schizophrenia in children and young people', under the heading 'Treatment options for first episode psychosis', makes the following comment on the effectiveness of non-pharmacological interventions for first episode psychosis:

"If the child or young person and their parents or carers wish to try psychological interventions (family intervention with individual CBT) alone without antipsychotic medication, advise that psychological interventions are more effective when delivered in conjunction with antipsychotic medication. If the child or young person and their parents or carers still wish to try psychological interventions alone, then offer family intervention with individual CBT. Agree a time limit (1 month or less) for reviewing treatment options, including introducing antipsychotic medication. Continue to monitor symptoms, level of distress, impairment and level of functioning, including educational engagement and achievement, regularly. (p22)"

Date question received: 15/05/2015

Date searches conducted: 08/06/2015

Date answer completed: 19/06/2015

References

Guidelines

1. National Institute of Health and Care Excellence (2013). *Psychosis and schizophrenia in children and young people*. NICE Clinical Guideline 155. Retrieved at: <http://www.nice.org.uk/guidance/cg155/resources/guidance-psychosis-and-schizophrenia-in-children-and-young-people-pdf>

Search details

Source	Search Strategy	Number of hits	Relevant evidence identified
<i>Guidelines</i>			
NICE	First episode psychosis	28	1
<i>Systematic Reviews</i>			
DARE	1 MeSH DESCRIPTOR Schizophrenia EXPLODE ALL TREES 530 2 MeSH DESCRIPTOR Schizophrenia and Disorders with Psychotic Features EXPLODE ALL TREES 635 3 MeSH DESCRIPTOR Schizophrenia, Childhood EXPLODE ALL TREES 1 4 MeSH DESCRIPTOR Schizophrenia, Paranoid EXPLODE ALL TREES 1 5 MeSH DESCRIPTOR Psychotic Disorders EXPLODE ALL TREES 158 6 ((schizo* or psychotic* or psychosis or psychoses or hebephreni* or oligophreni*)) IN DARE 822 7 (((First adj3 admission*) OR (first adj3 hospital*) OR (first adj3 episod*) OR (first adj3 breakdown*) OR (initial adj3 admission*) OR (initial adj3 hospital*) OR (initial adj3 episod*) OR (initial adj3 breakdown*) OR (primary adj3 admission*) OR (primary adj3 hospital*) OR (primary adj3 episod*) OR (primary adj3 breakdown*))) IN DARE 215 8 #1 OR #2 OR #3 OR #4 OR #5 OR #6 OR #7 1283 9 MeSH DESCRIPTOR Cognitive Therapy EXPLODE ALL TREES 785 10 MeSH DESCRIPTOR Psychotherapy EXPLODE ALL TREES 2087 11 MeSH DESCRIPTOR Psychotherapy, Brief EXPLODE ALL TREES 64 12 MeSH DESCRIPTOR Psychotherapy, Group EXPLODE ALL TREES 211 13 MeSH DESCRIPTOR Psychotherapy, Psychodynamic EXPLODE ALL TREES 1 14 MeSH DESCRIPTOR Family Therapy EXPLODE ALL TREES 82 15 (CBT or psychotherap* or psychodynamic or psychoanaly* or Gestalt or couneslling or mindful* or CAT or Jungian or EMDR) IN DARE 1083	36	0

	<p>16 (((Integrative or cognitive or behavior* or Compassion* or Narrative or systemic or family or acceptance or psychodrama or cognitive analytic or Person-centered or solution-focused or drama or music or interpersonal) adj2 therapy)) IN DARE 1496</p> <p>17 MeSH DESCRIPTOR Social Support EXPLODE ALL TREES 293</p> <p>18 (open dialogue approach) IN DARE 0</p> <p>19 #9 OR #10 OR #11 OR #12 OR #13 OR #14 OR #15 OR #16 OR #17 OR #18 2923</p> <p>20 MeSH DESCRIPTOR Antipsychotic Agents EXPLODE ALL TREES 708</p> <p>21 ((Anti*psychotic* OR Amisulpride OR Aripiprazole OR Asenapine OR Blonanserin OR Chlorpromazine OR Clotiapine OR Clozapine OR Droperidol OR Fluphenazine OR Haloperidol OR Iloperidone OR Levomepromazine OR Loxapine OR Lurasidone OR Mesoridazine OR Molindone OR Mosapramine OR Olanzapine OR Paliperidone OR Perospirone OR Perphenazine OR Pimozide OR Prochlorperazine OR Quetiapine OR Risperidone OR Sertindole OR Sulpiride OR Symbax OR Tetrabenazine OR Thioridazine OR Trifluoperazine OR Ziprasidone OR Zotepine OR Zuclopenthixol)) IN DARE 495</p> <p>22 #20 OR #21 959</p> <p>23 #8 AND #19 AND #22 36</p>		
<i>Primary Studies</i>			
MEDLINE	<ol style="list-style-type: none"> 1. Medline; (systematic adj1 review OR meta-analytic* OR metanalysis OR metaanalysis OR meta adj1 analysis OR meta-synthesis OR metasynthesis OR meta adj1 synthesis OR meta-regression OR metaregression OR meta adj1 regression OR synthes* adj3 literature OR synthes* adj3 evidence OR integrative adj1 review OR data adj1 synthesis OR research adj1 synthesis OR narrative adj1 synthesis OR systematic adj1 study OR systematic adj1 studies).ti,ab; 125749 results. 2. Medline; META-ANALYSIS AS TOPIC/; 13971 results. 3. Medline; meta-analysis.ti,ab,pt; 80065 results. 4. Medline; (systematic adj1 comparison* OR systematic adj1 overview* OR "evidence based review" OR comprehensive adj1 review OR critical adj1 review OR quantitative adj1 review OR structured adj1 review OR realist adj1 review OR realist adj1 synthesis).ti,ab; 27941 results. 5. Medline; 1 OR 2 OR 3 OR 4; 170328 results. 6. Medline; review.ti,ab,pt; 2370298 results. 7. Medline; (medline OR pubmed OR cochrane OR embase OR cinahl OR psyclit OR psycinfo OR psychinfo OR 	176	0

	<p>literature adj3 search OR database* adj3 search OR bibliographic adj3 search* OR electronic adj3 search* OR electronic adj3 database* OR computerized adj3 search* OR computerised adj3 search* OR internet adj3 search* OR included adj1 studies OR inclusion adj3 studies OR inclusion adj1 criteria OR selection adj1 criteria OR "predetermined criteria").ti,ab; 182658 results.</p> <p>8. Medline; (predefined adj1 criteria OR assess* adj3 (quality OR validity) OR select* adj3 (study OR studies) OR data adj3 extract* OR extracted adj1 data OR data adj2 abstracted OR data adj3 abstraction OR published adj1 intervention OR (study OR studies) adj2 evaluat* OR intervention adj2 evaluat* OR confidence adj1 interval OR heterogeneity OR pooled OR pooling OR odds adj1 ratio* OR Jadad OR coding).ti,ab; 942449 results.</p> <p>9. Medline; 6 OR 7 OR 8; 3249067 results.</p> <p>10. Medline; 5 AND 9; 136996 results.</p> <p>11. Medline; review.ti; 283238 results.</p> <p>12. Medline; 9 AND 11; 283238 results.</p> <p>13. Medline; (review* adj4 (papers OR trials OR studies OR evidence OR intervention* OR evaluation*)).ti,ab; 133431 results.</p> <p>14. Medline; 5 OR 10 OR 12 OR 13; 472669 results.</p> <p>15. Medline; (letter OR editorial OR comment).pt; 1396967 results.</p> <p>16. Medline; exp ANIMALS/; 17825160 results.</p> <p>17. Medline; exp HUMANS/; 13817852 results.</p> <p>18. Medline; 16 not 17; 4007308 results.</p> <p>19. Medline; 15 OR 18; 5350242 results.</p> <p>20. Medline; 14 not 19; 441843 results.</p> <p>21. Medline; exp SCHIZOPHRENIA AND DISORDERS WITH PSYCHOTIC FEATURES/; 118804 results.</p> <p>22. Medline; exp SCHIZOPHRENIA, CHILDHOOD/; 1462 results.</p> <p>23. Medline; exp SCHIZOPHRENIA, PARANOID/; 3704 results.</p> <p>24. Medline; exp PSYCHOTIC DISORDERS/; 39226 results.</p> <p>25. Medline; (schizo* OR psychotic* OR psychosis OR psychoses OR hebephreni* OR oligophreni*).ti,ab; 135835 results.</p> <p>26. Medline; (First adj3 admission* OR first adj3 hospital* OR first adj3 episod* OR first adj3 breakdown* OR</p>		
--	--	--	--

	<p>initial adj3 admission* OR initial adj3 hospital* OR initial adj3 episod* OR initial adj3 breakdown* OR primary adj3 admission* OR primary adj3 hospital* OR primary adj3 episod* OR primary adj3 breakdown*).ti,ab; 41926 results.</p> <p>27. Medline; 21 OR 22 OR 23 OR 24 OR 25 OR 26; 204719 results.</p> <p>28. Medline; exp PSYCHOTHERAPY/ OR exp PSYCHOTHERAPY, BRIEF/ OR exp PSYCHOTHERAPY, PSYCHODYNAMIC/; 161626 results.</p> <p>29. Medline; exp PSYCHOTHERAPY, GROUP/; 12042 results.</p> <p>30. Medline; exp COGNITIVE THERAPY/; 17162 results.</p> <p>31. Medline; exp FAMILY THERAPY/; 7733 results.</p> <p>32. Medline; (CBT OR psychotherap* OR psychodynamic OR psychoanaly* OR Gestalt OR counselling OR mindful* OR CAT OR Jungian OR EMDR OR counseling).ti,ab; 201231 results.</p> <p>33. Medline; ((Integrative OR cognitive OR behavio* OR Compassion* OR Narrative OR systemic OR family OR acceptance) adj2 therapy).ti,ab; 35176 results.</p> <p>34. Medline; ((psychodrama OR "cognitive analytic" OR "Person-cent*" OR "solution-focused" OR drama OR music OR interpersonal) adj2 therapy).ti,ab; 2142 results.</p> <p>35. Medline; exp SOCIAL SUPPORT/; 53284 results.</p> <p>36. Medline; "open dialogue approach".ti,ab; 5 results.</p> <p>37. Medline; 28 OR 29 OR 30 OR 31 OR 32 OR 33 OR 34 OR 35 OR 36; 394618 results.</p> <p>38. Medline; exp ANTIPSYCHOTIC AGENTS/; 104085 results.</p> <p>39. Medline; (Anti?psychotic* OR Amisulpride OR Aripiprazole OR Asenapine OR Blonanserin OR Chlorpromazine OR Clotiapine OR Clozapine OR Droperidol OR Fluphenazine OR Haloperidol OR Iloperidone OR Levomepromazine OR Loxapine OR Lurasidone OR Mesoridazine OR Molindone OR Mosapramine OR Olanzapine OR Paliperidone OR Perospirone OR Perphenazine OR Pimozide OR Prochlorperazine OR Quetiapine OR Risperidone OR Sertindole OR Sulpiride OR Symbax OR Tetrabenazine OR Thioridazine OR Trifluoperazine OR Ziprasidone OR Zotepine OR Zuclopenthixol).ti,ab; 59019 results.</p> <p>40. Medline; anti?psychotic*.ti,ab; 4 results.</p> <p>41. Medline; anti-psychotic*.ti,ab; 688 results.</p> <p>42. Medline; antipsychotic*.ti,ab; 28150 results.</p> <p>43. Medline; 38 OR 39 OR 40 OR 41 OR 42; 125664 results.</p>		
--	--	--	--

	44. Medline; 27 AND 37 AND 43; 1831 results. 45. Medline; 20 AND 44; 176 results.		
EMBASE	<p>1. EMBASE; exp SCHIZOPHRENIA/ OR exp PARANOID SCHIZOPHRENIA/ OR exp SCHIZOPHRENIA AND DISORDERS WITH PSYCHOTIC FEATURES/ OR exp SCHIZOPHRENIA, CHILDHOOD/; 221857 results.</p> <p>2. EMBASE; exp PSYCHOSIS/; 221857 results.</p> <p>3. EMBASE; (schizo* OR psychotic* OR psychosis OR psychoses OR hebephreni* OR oligophreni*).ti,ab; 181313 results.</p> <p>4. EMBASE; (First adj3 admission* OR first adj3 hospital* OR first adj3 episod* OR first adj3 breakdown* OR initial adj3 admission* OR initial adj3 hospital* OR AND initial adj3 episod* OR initial adj3 breakdown* OR primary adj3 admission* OR primary adj3 hospital* OR primary adj3 episod* OR primary adj3 breakdown*).ti,ab; 81 results.</p> <p>5. EMBASE; 1 OR 2 OR 3 OR 4; 259608 results.</p> <p>6. EMBASE; exp PSYCHOTHERAPY/ OR exp COGNITIVE THERAPY [+NT]/ OR exp GROUP THERAPY/ OR exp PSYCHOTHERAPY, BRIEF/ OR exp PSYCHOTHERAPY, GROUP/; 190843 results.</p> <p>7. EMBASE; exp FAMILY THERAPY/; 10886 results.</p> <p>8. EMBASE; (CBT OR psychotherap* OR psychodynamic OR psychoanaly* OR Gestalt OR couneslling OR mindful* OR CAT OR Jungian OR EMDR).ti,ab; 161963 results.</p> <p>9. EMBASE; ((Integrative OR cognitive OR behavio* OR Compassion* OR Narrative OR systemic OR family OR acceptance OR psychodrama OR cognitive analytic OR Person-cent* OR "solution-focused" OR drama OR music OR interpersonal) adj2 therapy).ti,ab; 3343 results.</p> <p>10. EMBASE; exp SOCIAL SUPPORT/; 62844 results.</p> <p>11. EMBASE; "open dialogue approach".ti,ab; 6 results.</p> <p>12. EMBASE; 6 OR 7 OR 8 OR 9 OR 10 OR 11; 362210 results.</p> <p>13. EMBASE; exp NEUROLEPTIC AGENT/; 210847 results.</p> <p>14. EMBASE; (Anti-pyschotic* OR Amisulpride OR Aripiprazole OR Asenapine OR Blonanserin OR Chlorpromazine OR Clotiapine OR Clozapine OR Droperidol OR Fluphenazine OR Haloperidol OR Iloperidone OR Levomepromazine OR Loxapine OR Lurasidone OR Mesoridazine OR Molindone OR Mosapramine OR Olanzapine OR Paliperidone OR Perospirone OR Perphenazine OR Pimozide OR Prochlorperazine OR Quetiapine OR Risperidone OR Sertindole OR Sulpiride OR Symbax OR Tetrabenazine OR Thioridazine OR</p>	235	0

	<p>Trifluoperazine OR Ziprasidone OR Zolpidem OR Zuclopenthixol).ti,ab; 68897 results.</p> <p>15. EMBASE; 13 OR 14; 215218 results.</p> <p>16. EMBASE; 5 AND 12 AND 15; 4479 results.</p> <p>22. EMBASE; 16 [Limit to: (EBM-Evidence Based Medicine Meta Analysis or Systematic Review)]; 235 results.</p>		
PsycINFO	<p>1. PsycInfo; (systematic adj1 review OR meta-analytic* OR metaanalysis OR metaanalysis OR meta adj1 analysis OR meta-synthesis OR metasynthesis OR meta adj1 synthesis OR meta-regression OR metaregression OR meta adj1 regression OR syntheses* adj3 literature OR syntheses* adj3 evidence OR integrative adj1 review OR data adj1 synthesis OR research adj1 synthesis OR narrative adj1 synthesis OR systematic adj1 study OR systematic adj1 studies).ti,ab; 34866 results.</p> <p>3. PsycInfo; meta-analysis.ti,ab,pt; 15910 results.</p> <p>4. PsycInfo; (systematic adj1 comparison* OR systematic adj1 overview* OR "evidence based review" OR comprehensive adj1 review OR critical adj1 review OR quantitative adj1 review OR structured adj1 review OR realist adj1 review OR realist adj1 synthesis).ti,ab; 12220 results.</p> <p>5. PsycInfo; 1 OR 2 OR 3 OR 4; 45938 results.</p> <p>6. PsycInfo; review.ti,ab,pt; 308647 results.</p> <p>7. PsycInfo; (medline OR pubmed OR cochrane OR embase OR cinahl OR psyclit OR psycinfo OR psychinfo OR literature adj3 search OR database* adj3 search OR bibliographic adj3 search* OR electronic adj3 search* OR electronic adj3 database* OR computerized adj3 search* OR computerised adj3 search* OR internet adj3 search* OR included adj1 studies OR inclusion adj3 studies OR inclusion adj1 criteria OR selection adj1 criteria OR "predetermined criteria").ti,ab; 3634182 results.</p> <p>8. PsycInfo; (predefined adj1 criteria OR assess* adj3 (quality OR validity) OR select* adj3 (study OR studies) OR data adj3 extract* OR extracted adj1 data OR data adj2 abstracted OR data adj3 abstraction OR published adj1 intervention OR (study OR studies) adj2 evaluate* OR intervention adj2 evaluate* OR confidence adj1 interval OR heterogeneity OR pooled OR pooling OR odds adj1 ratio* OR Jadad OR coding).ti,ab; 133875 results.</p> <p>9. PsycInfo; 6 OR 7 OR 8; 3635620 results.</p> <p>10. PsycInfo; 5 AND 9; 45709 results.</p> <p>11. PsycInfo; review.ti; 122204 results.</p> <p>12. PsycInfo; 9 AND 11; 122204 results.</p>	106	0

	<p>13. PsycInfo; (review* adj4 (papers OR trials OR studies OR evidence OR intervention* OR evaluation*)).ti,ab; 52321 results.</p> <p>14. PsycInfo; 5 OR 10 OR 12 OR 13; 185713 results.</p> <p>15. PsycInfo; (letter OR editorial OR comment).pt; 155279 results.</p> <p>16. PsycInfo; exp ANIMALS/; 6748 results.</p> <p>17. PsycInfo; exp HUMANS/; 1782 results.</p> <p>18. PsycInfo; 16 not 17; 6436 results.</p> <p>19. PsycInfo; 15 OR 18; 161384 results.</p> <p>20. PsycInfo; 14 not 19; 179207 results.</p> <p>21. PsycInfo; META ANALYSIS/; 14399 results.</p> <p>22. PsycInfo; 20 OR 21; 181038 results.</p> <p>43. PsycInfo; exp SCHIZOPHRENIA AND DISORDERS WITH PSYCHOTIC FEATURES/; 2 results.</p> <p>44. PsycInfo; exp SCHIZOPHRENIA, CHILDHOOD/; 13 results.</p> <p>45. PsycInfo; exp SCHIZOPHRENIA, PARANOID/; 3 results.</p> <p>46. PsycInfo; exp PSYCHOTIC DISORDERS/; 1119 results.</p> <p>47. PsycInfo; (schizo* OR psychotic* OR psychosis OR psychoses OR hebephreni* OR oligophreni*).ti,ab; 144699 results.</p> <p>48. PsycInfo; (First adj3 admission* OR first adj3 hospital* OR first adj3 episod* OR first adj3 breakdown* OR initial adj3 admission* OR initial adj3 hospital* OR initial adj3 episod* OR initial adj3 breakdown* OR primary adj3 admission* OR primary adj3 hospital* OR primary adj3 episod* OR primary adj3 breakdown*).ti,ab; 10365 results.</p> <p>49. PsycInfo; 43 OR 44 OR 45 OR 46 OR 47 OR 48; 149000 results.</p> <p>50. PsycInfo; exp PSYCHOTHERAPY/ OR exp PSYCHOTHERAPY, BRIEF/ OR exp PSYCHOTHERAPY, PSYCHODYNAMIC/; 47648 results.</p> <p>51. PsycInfo; exp PSYCHOTHERAPY, GROUP/; 35 results.</p> <p>52. PsycInfo; exp COGNITIVE THERAPY/; 19645 results.</p> <p>53. PsycInfo; exp FAMILY THERAPY/; 19330 results.</p> <p>54. PsycInfo; (CBT OR psychotherap* OR psychodynamic OR psychoanaly* OR Gestalt OR counselling OR mindful* OR CAT OR Jungian OR EMDR OR counseling).ti,ab; 249880 results.</p>		
--	--	--	--

	<p>55. PsycInfo; ((Integrative OR cognitive OR behavio* OR Compassion* OR Narrative OR systemic OR family OR acceptance) adj2 therapy).ti,ab; 45557 results.</p> <p>56. PsycInfo; ((psychodrama OR "cognitive analytic" OR "Person-cent*" OR "solution-focused" OR drama OR music OR interpersonal) adj2 therapy).ti,ab; 6079 results.</p> <p>57. PsycInfo; exp SOCIAL SUPPORT/; 29198 results.</p> <p>58. PsycInfo; "open dialogue approach".ti,ab; 15 results.</p> <p>59. PsycInfo; 50 OR 51 OR 52 OR 53 OR 54 OR 55 OR 56 OR 57 OR 58; 329137 results.</p> <p>60. PsycInfo; exp ANTIPSYCHOTIC AGENTS/; 182 results.</p> <p>61. PsycInfo; (Anti?psychotic* OR Amisulpride OR Aripiprazole OR Asenapine OR Blonanserin OR Chlorpromazine OR Clotiapine OR Clozapine OR Droperidol OR Fluphenazine OR Haloperidol OR Iloperidone OR Levomepromazine OR Loxapine OR Lurasidone OR Mesoridazine OR Molindone OR Mosapramine OR Olanzapine OR Paliperidone OR Perospirone OR Perphenazine OR Pimozide OR Prochlorperazine OR Quetiapine OR Risperidone OR Sertindole OR Sulpiride OR Symbax OR Tetrabenazine OR Thioridazine OR Trifluoperazine OR Ziprasidone OR Zotepine OR Zuclopenthixol).ti,ab; 27523 results.</p> <p>62. PsycInfo; anti?psychotic*.ti,ab; 6 results.</p> <p>63. PsycInfo; anti-psychotic*.ti,ab; 328 results.</p> <p>64. PsycInfo; antipsychotic*.ti,ab; 22296 results.</p> <p>65. PsycInfo; 60 OR 61 OR 62 OR 63 OR 64; 39609 results.</p> <p>66. PsycInfo; 49 AND 59 AND 65; 724 results.</p> <p>67. PsycInfo; 42 AND 66; 100 results.</p> <p>68. PsycInfo; exp PSYCHOSIS/; 21635 results.</p> <p>69. PsycInfo; 49 OR 68; 150369 results.</p> <p>70. PsycInfo; exp GROUP PSYCHOTHERAPY/; 17485 results.</p> <p>71. PsycInfo; 59 OR 70; 336312 results.</p> <p>72. PsycInfo; exp NEUROLEPTIC DRUGS/; 17767 results.</p> <p>73. PsycInfo; 65 OR 72; 43330 results.</p> <p>74. PsycInfo; 69 AND 71 AND 73; 859 results.</p> <p>75. PsycInfo; 22 AND 74; 106 results.</p>		
CENTRAL	#1 MeSH descriptor: [Schizophrenia and Disorders with Psychotic Features] explode all trees 5904	399	0

	<p>#2 MeSH descriptor: [Psychotic Disorders] explode all trees 1574</p> <p>#3 schizo* or psychotic* or psychosis or psychoses or hebephreni* or oligophreni* 14323</p> <p>#4 First near/3 admission* or first near/3 hospital*OR first near/3 episod* or first near/3 breakdown*OR initial near/3 admission* or initial near/3 hospital* or initial near/3 episod*OR initial near/3 breakdown* or primary near/3 admission* or primary near/3 hospital* or primary near/3 episod* or primary near/3 breakdown* 2412</p> <p>#5 #1 or #2 or #3 or #4 16561</p> <p>#6 MeSH descriptor: [Cognitive Therapy] explode all trees 5278</p> <p>#7 MeSH descriptor: [Psychotherapy] explode all trees 16283</p> <p>#8 MeSH descriptor: [Psychotherapy, Group] explode all trees 2504</p> <p>#9 CBT or psychotherap* or psychodynamic or psychoanaly* or Gestalt or couneslling or mindful* or CAT or Jungian or EMDR 14502</p> <p>#10 Integrative or cognitive or behavi* or Compassion* or Narrative or systemic or family or acceptance or psychodrama or "cognitive analytic" or "Person-cent*" or "solution-focused" or drama or music or interpersonal 127246</p> <p>#11 therapy 394350</p> <p>#12 #10 near/3 #11 22561</p> <p>#13 MeSH descriptor: [Social Support] explode all trees 2217</p> <p>#14 "open dialogue approach" 0</p> <p>#15 #6 or #7 or #8 or #9 or #12 or #13 35503</p> <p>#16 MeSH descriptor: [Antipsychotic Agents] explode all trees 3893</p> <p>#17 Anti-pyschotic* or Amisulpride or Aripiprazole or Asenapine or Blonanserin or Chlorpromazine or Clotiapine or Clozapine or Droperidol or Fluphenazine or Haloperidol or Iloperidone or Levomepromazine or Loxapine or Lurasidone or Mesoridazine or Molindone or Mosapramine or Olanzapine or Paliperidone or Perospirone or Perphenazine or Pimozide or Prochlorperazine or Quetiapine or Risperidone or Sertindole or Sulpiride or Symbax or Tetrabenazine or Thioridazine or Trifluoperazine or Ziprasidone or Zotepine or Zuclopenthixol 11189</p> <p>#18 #16 or #17 12268</p> <p>#19 #5 and #15 and #18 595</p> <p>Central only 399</p>		
--	--	--	--

Disclaimer

BEST in MH answers to clinical questions are for information purposes only. BEST in MH does not make recommendations. Individual health care providers are responsible for assessing the applicability of BEST in MH answers to their clinical practice. BEST in MH is not responsible or liable for, directly or indirectly, any form of damage resulting from the use/misuse of information contained in or implied by these documents. Links to other sites are provided for information purposes only. BEST in MH cannot accept responsibility for the content of linked sites.